



Print ISSN No. 2277 – 8179
Journal DOI : 10.36106/ijsr



An International Journal
Journal For All Subjects
Volume-10 | Issue-3 | March-2021



INTERNATIONAL JOURNAL OF SCIENTIFIC RESEARCH


A Peer Reviewed, Referred,
Refereed & Indexed
International Journal

UGC Sr. No. 49217
Impact Factor : 5.711
₹ 500

08/02/2023 22:08

INDEX

Sr. No.	Title	Page No.
1	Study Of Marketing Development In Early Stages Of Commercializing Disruptive Innovation: Considering The Implications Of Moore's Life Cycle Model And Christensen's Model Of Disruptive Innovation Dr. Tauqeer Elham, Mohammad Anamul Haque	1-3
2	A Study To Access The Knowledge Of Medical Students Regarding Organ Donation Dr. Hetal Chauhan, Dr. Kartik Patel, Dr. Samuvel Vasava	4-5
3	Enabling Data Security In Cloud Computing Through Remote Data Integrity Auditing Kavya H, Samyama Gunjal G H	6-9
4	A Study Of Bollywood's Comedy Of Errors: An Intertextual Approach Simran Siwach	10-12
5	Stability Study Of Crude Extracts Of Moullava Spicata (DALZ.) Nicolson By HPLC D. G. Karpe, S. P. Lawande, N. R. Dalvi	13-14
6	Awareness On Disaster Management Among High School Students In Vijayawada City: An Interventional Study Vijaykumar R, Pasam Guru Vijay Kumar	15-17
7	Efficiency Analysis Of Stock Price Prediction Using Machine Learning Vishnu U	18-19
8	Study On Green Strategies Based On Nurses' Perspective In A Selected Hospital Adarsh Hegde	20-21
9	Nation As A Factor Of Integration And Schism: Analysis Of Ernest Renan And Emile Durkheim's Perspectives Jayapal H R	22-25
10	Effect Of Selected Yogic Asana On Selected Physiological Variables Of National Baseball Players Kishor Kumar	26-28
11	Groundwater Exploration For Electrical Resistivity Method In Sirpur(T) Area Kolipaka Venu, Ram Raj Mathur	29-30
12	The Distribution Of Indigenous Lampito Mauriti (kinberg) And Exotic Eudrilus Eugeniae (kinberg) Earthworm Species In Ballari District, Karnataka, India. Reshma Banu, Shankerappa S. Hatti	31-33
13	Blue Green Algal Diversity Of Domestic Sewage Water. Satish D. Magar	34-34
14	A Comparative Study Of Oxidation Of Tartaric Acid By Different Cr (VI) Oxidants In DMSO Medium Shikha Soni, Dr. Neetu Shorgar, Dr. B. K. Dangarh	35-36
15	Study On Diversity Of Spiders From Bangalore University Campus, Bengaluru, India. Shiva Sharma, S. Ramakrishna	37-38
16	Topical Antimicrobial Ointment And Gel Preparation From Biosynthesised Silver Nanoparticle Using Tabernaemontana Divaricate Sruti S Nair, Anchana Devi, C, Pushpa, N	39-42
17	Identification Of Familiar Words For Hindi Sounds Ankita Kumari, K. Srikumar	43-45
18	Application Of Structural Equation Models To Estimate One Personality Trait From Others With Parental Mental Health As A Latent Variable Alka Sabharwal, Babita Goyal, Nidhi Arora Dhingra	46-50
19	Magnetic Levitation As Energy Harvester Mrs. Piyusha S. Shetgar, Dr. A.V. Thalange, Mr. Zaid H. Shaikh, Ms. Tehrim J. Ustad	51-53
20	Geological And Geomorphological Analysis And Hydrogeochemical Environment Of Aquifers Of The Southern West Coast Of Karnataka, India S. S. Honnanagoudar, Girish K. H.	54-57
21	Changing Perspectives Of Supreme Court Interpretation On Right To Privacy-with Special Context To Aadhaar R.Mangayarkarasi	58-61
22	Chick List Of Termite Cultivated, Symbiotic And Nutritious Mushroom (Termitomyces Heim) Of Nagaland, India T. Wabang	62-63



BLUE GREEN ALGAL DIVERSITY OF DOMESTIC SEWAGE WATER.

Botany

Satish D. Magar

Department of Botany, L.B.S. College, Partur, Dist. Jalna -431503 (M.S.) India.

ABSTRACT

In order to study the diversity of blue green algae of domestic sewage water, kham river located in Aurangabad city is selected for algal collections. Algal samples were collected for the period of two years i.e. from Jun 2015 to May 2017. Collected algal samples were identified with the help of standard literature. A total of 42 taxa under 17 genera of blue green algae were identified and recorded. Species of *Microcystis*, *Chroococcus*, *Gloeotheca*, *Aphanocapsa*, *Aphanothece*, *Synechococcus*, *Merismopedia*, *Chlorogloea*, *Myxosarcina*, *Arthrospira*, *Spirulina*, *Oscillatoria*, *Phormidium*, *Lyngbya*, *Microcoleus*, *Nostoc*, *Plectonema*, and *Scytonema* were identified and recorded.

KEYWORDS

Blue green algae, Domestic sewage water, kham river .

INTRODUCTION

Blue green algae grows in variety of habitats like fresh water, soil, on moist rocks, barks and in polluted water also. Present study deals with diversity of blue green algae of domestic sewage water. Similar type of work has been done by Ahmadi et al. (2005), Ansari, and Nandan, (2005). Baruh et. al. (2009), Boominathan (2005), Chevalier, et.al.(2000), Dora, et.al.(2010), Dubey, et.al.(2011), Ganpati, and Chaco, (1951). Gunale, and Balkrishnan, (1981). Khare, (1999). Mahadik, and Jadhav (2014). Nandan, and Mahajan,(2003). Nandkar, et.al.(1993). Sanjay, et. al. (2011). Vijaykumar, et. al. (2007). reported dominance of blue green algae from different waste water habitats such as organically polluted lakes, oil refinery effluents, paper mill waste water, dairy effluent sugar mill waste water and pharmaceutical industry waste water.

MATERIALS AND METHODS

To study blue green algal forms, domestic sewage water released in Kham river located at Aurangabad city was selected. Algal collections were made at monthly intervals from June 2015 to May 2017. Floating, planktonic and submerged algal forms were collected in acid washed collection bottles. Collected algal samples were brought to the laboratory for identification and taxonomic study. Blue green algal forms were observed under research microscope and identified with the help of standard literature on algae.

RESULTS AND DISCUSSION

During present phycological investigations, a total of 42 species under 17 genera belonged to blue green algae were identified and recorded (Table 1). Unicellular, colonial and filamentous blue green algal forms were identified. Species of *Microcystis*, *Chroococcus*, *Gloeotheca*, *Aphanocapsa*, *Aphanothece*, *Synechococcus*, *Merismopedia*, *Chlorogloea*, *Myxosarcina*, *Arthrospira*, *Spirulina*, *Oscillatoria*, *Phormidium*, *Lyngbya*, *Microcoleus*, *Nostoc*, *Plectonema* and *Scytonema* were identified and recorded.

During present investigation Genus *Oscillatoria* was represented by 08 species *Phormidium* is represented by 05 species and *Spirulina* represented by 04 species, where as *Chroococcus*, *Microcoleus* and *Plectonema* represented by 03 species each. *Microcystis*, *Aphanothece*, *Merismopedia*, *Lyngbya*, *Nostoc* were represented by 02 species each. *Gloeotheca*, *Synechococcus*, *Chlorogloea*, *Myxosarcina*, *Arthrospira*, *Scytonema* were represented by 01 species each (Table 1). The most frequent and dominant blue green algal taxa are *Aphanothece nidulans*, *Gloeotheca palea*, *Chroococcus minutus*, *Chroococcus turgidus*, *Aphanothece saxicola*, *Merismopedia tenuissima*, *Microcystis aeruginosa*, *Plectonema gracillimum*, *Oscillatoria obscura*, *Oscillatoria subbrevis*, *Oscillatoria quadripunctulata*, *Myxosarcina burmensis*, *Phormidium molle*, *Phormidium jenkelianum*, *Spirulina gigantea*, *Spirulina labyrinthiformis*, *Spirulina laxissima*, *Microcoleus acutissimus*, *Nostoc muscorum* and *Scytonema bohneri*.

Hence it was concluded that blue green algal diversity of domestic sewage water of Kham river is remarkable. Blue green algae are found in diverse form. Present study will be definitely enriching the knowledge of blue green algal biodiversity of Marathwada region of Maharashtra.

Tabl 1 : Blue green algal taxa recorded from domestic sewage water of Kham river.

Microcystis aeruginosa, *Microcystis robusta*, *Chroococcus minor*, *Chroococcus minutus*, *Chroococcus turgidus*, *Gloeotheca palea*, *Aphanothece nidulans*, *Aphanothece saxicola*, *Synechococcus aeruginosus*, *Merismopedia punctata*, *Merismopedia tenuissima*, *Chlorogloea microcystoides*, *Myxosarcina burmensis*, *Arthrospira platensis*, *Spirulina gigantea*, *Spirulina labyrinthiformis*, *Spirulina laxissima*, *Spirulina major*, *Oscillatoria acuminata*, *Oscillatoria acuta*, *Oscillatoria animalis*, *Oscillatoria formosa*, *Oscillatoria obscura*, *Oscillatoria princeps*, *Oscillatoria quadripunctulata*, *Oscillatoria subbrevis*, *Phormidium abronema*, *Phormidium jadinianum*, *Phormidium jenkelianum*, *Phormidium molle*, *Phormidium usterii*, *Lyngbya birgei*, *Lyngbya gracilis*, *Microcoleus acutissimus*, *Microcoleus sociatus*, *Microcoleus subtorulosus*, *Nostoc microscopicum*, *Nostoc muscorum*, *Plectonema gracillimum*, *Plectonema hansgirgi*, *Plectonema nostocorum*, *Scytonema bohneri*.

REFERENCES

- Ahmadi, A., Riahi, H. and Noori, M. (2005). Studies of the effects of environmental factors on the seasonal change of phytoplankton population in municipal waste water stabilization ponds. *Toxicological and Environmental chemistry*. 87 (4): 543-550.
- Ansari, Ziya and Nandan, S. N. (2005). Study of eutrophication of algal biodiversity of Mausam river. *Plant diversity and Biotechnology* 17-19.
- Baruh, P. P., Kakati, B. and I. Ahmed (2009). Some fresh water algae of oil refinery effluent drains of Assam, India. *Our Nature*. 7: 139-145.
- Boominathan, M. (2005). Bioremediation studies on dairy effluent using Cyanobacteria. Ph.D. Thesis. Bharathidasan University, Tirachirapalli, Tamilnadu, India.
- Chevalier, P., Porulux, D., Lessard, P., Vincent, J. and Noue de la (2000) Nitrogen and Phosphorous removal by high latitude mat-forming cyanobacteria for potential use in tertiary waste water treatment. *Applied Phycology* 12(2): 105-112.
- Dora, S. L., Mati, S. K., Tiwary, R. K. and Mali A. (2010). Algae as an indicator of river water pollution-A review. *The Bioscan* 2: 413-422.
- Dubey, S., Dubey, J., Viswas, A. J. and Tiwari, P. (2011). Studies on Cyanobacterial biodiversity in paper mill and pharmaceutical industrial effluents. *British Biotechnology Journal*. 1(3): 61-67.
- Ganpati, S. V. and Chaco, P. J. (1950). Seasonal succession of algal flora in polluted region of Adyar river. *Ind. J. Environ. Hlth*. 21(2): 131-142.
- Ganpati, S. V. and Chaco, P. J. (1951). An investigation of the river Godavari and effluent of paper mill pollution at Rajmudri. *Proc Indo-Pacific fish Conf. Sec. 2*: 1-5.
- Gunale, V. R. and Balkrishnan, M. S. (1981). Biomonitoring of eutrophication in the Pawna, Mula and Mutha rivers flowing through Poona. *Indian J. Environ. Hlth*. 23 (4): 316-322.
- Khare, P. K. (1999). Phytoplankton as indicator of water quality and pollution status of Jagat sagar pond, Chhatapur (M.P.) *Gcbios*. 18: 107-110.
- Mahadik, Bibhishan B. and Jadhav Milind J. (2014). A preliminary study on algal biodiversity of Ujani reservoir (M.S.) India. *Biosci. Disc*. 5(1): 123-125.
- Nandan, S. N. and Mahajan, S. R. (2003). Cyanobacterial diversity in polluted lakes of Jalgaon district of North Maharashtra. *Aquatic Environment and Toxicology*. Ed. Arvind Kumar. Daya Publishing House, New Delhi-28-62.
- Nandkar, P. B., Marathe, K. V. and Motikhaye, B. G. (1993). Algae in sewage containing pools and oxidation ponds. *Phykos*. 22: 37-45.
- Sanjay, K. D., Jaishree, D., Sandeep, M., Pradeep, T. and Bishwas, A. J. (2011). Potential use of Cyanobacterial species in bioremediation of industrial effluents. *African J. of Biotechnology*. 10(7): 1125-1132.
- Vijaykumar, S., Thajuddin, N., Manoharan, C. (2007). Biodiversity of cyanobacteria in industrial effluents. *Acta Botanica Malacitana* 32: 27-34.