

An International Journal

RESEARCH ANALYSIS

Journal DOI: 10.36106/gjra

A Peer Reviewed, Referred, Refereed & Indexed International Journal

UGC St. No.49177




Volume-10 | Issue-02 | February-2021

Journal For All Subjects 08/02/2023 22:05

₹ 500

INDEX

| Sı. No. | Title | Page No. |
|------------|---|-------------|
| 1 | Impact Of PAHAL (Pratyaksh Hanstantrit Labh) in the life of lea Workers in Dibrugarh District of Assam Dr. Ram Naresh Das | 1-2 |
| 2 | History Of Curriculum (NISA'AB) Development And Secular Education In Madrasas Dr. Mohammad Hanif Ahmad | 3-5 |
| 3 | Self Confidence among B.Ed Trainees Venkatrao Neeruti, Dr. M. Soundararajan | 6-7 |
| 4 | Occupational Interests Among High School Students V. Hathiram Naik | 8-9 |
| 5 | A Study On Different Vaccines Of Covid-19 Arundhati Bhattacharyya, Kausik Chatterjee | 10-12 |
| 6 | Study Of Pollution Index And Pollution Tolerant Algal Genera Of Certain Waste Water Habitats. Satish D. Magar | 13-14 |
| 7 | UAE And Israel Peace Deal: Key Challenges And Opportunities Mohammad Shafiq Sultan | 15-17 |
| 8 | Introduction Of Objective Structured Practical Examination For Assessing The Practical Skills Students- Student And Faculty Perception Dr. Dharmendra B. Sharma, Dr. Parth Aphale | 18-22 |
| 9 | Study On Lucrative Surrogacy In India: A Critical Analysis Mrs. Kamla Kishor Bhathar, Dr. Jaivir Singh | 23-24 |
| 10 | Cashless Economy: Public Opinion Regarding Security Of Digital Payments In India Mr. Anand A. Patel, Dr. Khuman L. Rathod | 25-27 |
| 11 | Study On Provincial Discrepancies In Agricultural Credit: An Indian Perspectives Miss. Jasminiben R. Patel, Dr. Ashwin G. Modi | 28-29 |
| 12 | Gandhian Thought And Environmental Consciousness Towards Sustainable Development Dr. Goutam Patra | 30-31 |
| 13 | The Profound Effect Of COVID-19 Pandemic On Person With Disabilities (PwDs) In India Dr. P. Srinivasa Rao | 32-35 |
| 14 | Artificial Intelligence In Money Laundering In Banks - A Holistic Approach K. Srinivasan, Dr. S. Rajarajeswari | 36-39 |



STUDY OF POLLUTION INDEX AND POLLUTION TOLERANT ALGAL GENERA OF CERTAIN WASTE WATER HABITATS

Satish D. Magar

Department of Botany, L.B.S. College, Partur, Dist. Jalna -431503 India.

In present study for rating the water pollution, Palmer's pollution index (1969) was followed.. Algal ABSTRACT samples were collected for the period of two years i.e. from Jun 2015 to May 2017 by selecting four different waste water habitats. Pollution tolerant genera of algae were found at all selected waste water habitats. The pollution tolerant algalgenera belonging to four class of algae i.e. Chlorophyceae, Bacillariophyceae, Euglenophyceae and Cyanophyceae were recorded. A total of 28 pollution tolerant genera of algae were recorded. Collected algal samples were identified with the help of standard literature.

KEYWORDS: Palmer's pollution index (1969), Pollution tolerant algal genera, Waste water.

INTROUCTION

Water is one of the significant natural resources of earth. It is also known as universal solvent as it dissolves more substances than any other liquid. Water containing one or more of various types of impurities may be said to be polluted. The sources of water pollution are domestic waste water, agricultural run-off and industrial effluents. These pollutants pollutes water and adversely affect aquatic environment. Algae being primary producers and biological entity responds to these changes. The effects are seen as decline in algal growth or stimulation of growth of certain type of tolerant algal forms. Algae are reliable indicators of water pollution. In present research work, Palmer's pollution index of algal genera is taken into account for evaluation of water quality of selected waste water habitats. Various research workers supported the view of Palmer like Hajdu (1976), Vanlandingam (1976), Nandan and Patel (1983), Jose and Kumar (2011) and Sawdekar (2018).

MATERIALS AND METHODS

The research work was carried out to study pollution index and pollution tolerant algal genera of certain waste water habitats, four sites have been selected. These sites are:

- i) S1 Domestic waste water: This site is located in Aurangabad city. Domestic waste water released in Kham nver.
- ii) S2 Dairy waste water: This site is located near Aurangabad city known as Mahanand dairy.
- iii) S3 Sugar industry waste water: This site is located in Partur tehsil of Jalna district. The site is known as Maa Bageshwari sugar factory.
- iv) S4 Oil industry waste water: This site is located in Selu tehsil area of Parbhani district. The site is known as Mahesh oil industry.

The experimental work was carried out for two consecutive years i.e. from June 2015 to May 2017. The pollution tolerant algal genera and species were recorded at each site of waste water habitat. Twenty most frequent occurring genera were taken into account. The pollution index factor was assigned to each genus. The index factor of the algae present were then totaled. For rating pollution of water, observations according to Palmer (1969) were made.

RESULTS AND DISCUSSION

During present investigations pollution tolerant genera of algae belonging to Chlorophyceae, Bacillariophyceae, Euglenophyceae and Cyanophyceae were recorded. A total of 28 pollution tolerant genera of algae were recorded. These are Anking Stigeoclonium, Chlorococcum, Chlorella, Ankistrodesmus, Coelastrum, Crucigenia, Scenedesmus, Spirogyra, Closterium, Cosmarium, Selenastrum, Fragilaria,

Navicula, Pinnularia, Cymbella, Nitzschia, Gomphonema, Euglena, Phacus, Trachelomonas, Lepocinclis, Microcystis, Aphanocapsa, Spirulina, Oscillatoria, Phormidium and Lyngbya. Highest number of pollution tolerant algal genera (24) were recorded at S1 while lowest number of genera (14) were recorded at S4 (Table 1). The pollution tolerant algal genera which were recorded at all selected waste water habitats are Chlorococcum, Chlorella, Scenedesmus, Pinnularia, Nitzschia, Euglena, Microcystis, Oscillatoria, Phormidium and Lyngbya.

For assessment of selected waste water habitats, Palmer's pollution index was followed. The result are shown in Table 2. Out of 20 most frequent occurring pollution tolerant algal genera recorded during present study 16, 12, 11 and 10 algal genera were present at S1, S2, S3 and S4 respectively. The total score of S1 was 32, S2 was 38, S3 was 24 and S4 was 25, indicative of confirmed high organic pollution. The level of organic pollution is in the range of S1>S2>S4>S3. Pollution index study of selected waste water habitats indicate that all sites are organically polluted.

Presence of Euglenophyceae members is a direct evidence of organic pollution. During present study Euglena, Phacus, Trachelomonas and Lepocinclis were recorded. Hosmani and Bharti (1980) recorded Euglena, Phacus, Trachelomonas in organically polluted waters. Pandey (1985) reported abundance of euglenoids in sewage water. Divekar and Deshmukh (2006) observed abundance of Euglena and Phacus in domestic waste water.

The present study Chlorella, Ankistrodesmus, Scenedesmus, Spirogyra, Fragilaria, Navicula, Nitzschia, Euglena, Microcystis, Spirulina, Oscillatoria, Phormidium and Lyngbya were found abundant which is in conformity with earlier reports (Ganpati and Chaco 1950, Somashekar and Ramaswamy 1983, Pandey 1985, Nandan and Patel 1983, Barun et. al. 2009, Dubey et. al. 2011, and Subramaniyan et. al. 2012). Abundance of these algal genera indicate organic pollution of water (Palmer 1969, Hosmani and Bharati 1980, Jose and Kumar 2011 and Sawdekar 2018). This is supported by present study.

Table 1: Pollution tolerant genera of algae from four selected sites of waste water habitats (Palmer 1969).

| Sr. No. | Genus | Group | Sl | S2 | S3 | S4 |
|---------|----------------|-------|----|----|----|----|
| 01. | Ulothrix | G | + | - | + | |
| 02. | Stigeoclonium | G | - | - | + | - |
| 03. | Chlorococcum | G | + | + | 1 | 1 |
| 04. | Chlorella | G | + | + | 1 | + |
| 05. | Ankistrodesmus | G | + | + | T | + |

GJRA - GLOBAL JOURNA SCRAFE ARCH ANALYSIS * 13

| VOLUME - | 10, ISSUE - 02, FEBR | RUARY - | ZOZI | | | - |
|----------|----------------------|---------|------|---|---|---|
| 06. | Coelastrum | G | + | | | - |
| 07. | Crucigenia | G | + | | - | + |
| 08. | Scenedesmus | G | + | + | - | - |
| 09. | Spirogyra | G | + | - | - | |
| 10. | Closterium | G | - | - | - | + |
| 11. | Cosmarium | G | - | + | - | - |
| 12. | Selenastrum | G | + | - | + | - |
| 13. | Fragilaria | D | + | - | + | - |
| 14. | Navicula | D | + | + | - | + |
| 15. | Pinnularia | D | + | + | + | + |
| 16. | Cymbella | D | + | + | - | + |
| 17. | Nitzschia | D | + | + | + | + |
| 18. | Gomphonema | D | + | - | - | - |
| 19. | Euglena | E | + | + | + | + |
| 20. | Phacus | E | + | + | - | - |
| 21. | Trachelomonas | E | - | - | + | - |
| 22. | Lepocinclis | E | + | - | - | - |
| 23. | Microcystis | В | + | + | + | + |
| 24. | Aphanocapsa | В | + | + | + | - |
| 25. | Spirulina | В | + | + | + | - |
| 26. | Oscillatoria | В | + | + | + | + |
| 27. | Phormidium | В | + | + | + | + |
| 28. | Lyngbya | В | + | + | + | + |

Table 2:Pollution Index of algal genera (Palmer 1969) at four

| Sr.No | Pollution tolerant genera | Pollution Index value | S1 | S2 | S3 | S4 |
|-------|------------------------------|-----------------------------|----|----|-----|----|
| I | CHLOROPHYCEAE | | | | | |
| 01. | Stigeoclonium | 2 | - | - | 2 | - |
| 02. | Chlorella | 3 | 3 | 3 | 3 | 3 |
| 03. | Ankistrodesmus | 2 | 2 | 2 | - | 2 |
| 04. | Coelastrum | 1 | 1 | - | - | - |
| 05. | Scenedesmus | 4 | 4 | 4 | 4 | 4 |
| 06. | Spirogyra | 1 | 1 | - | - | - |
| 07. | Closterium | 1 | - | - | - | 1 |
| 08. | Cosmarium | 1 | - | 1 | - | - |
| II | BACILLARIOPHYCE | | | | | |
| 01. | Fragilaria | 1 | 1 | - | 1 | - |
| 02. | Navicula | 3 | 3 | 3 | - | 3 |
| 03. | Gomphonema | 1 | 1 | - | - | - |
| III | EUGLENOPHYCEAE | | | | | |
| 01. | Euglena | 5 | 5 | 5 | 5 | 5 |
| 02. | phacus | 2 | 2 | 2 | - | - |
| 03. | Trachelomonas | 1 | - | - | 1 | |
| 04. | Lepocinclis | 1 | 1 | - | +- | - |
| IV | CYANOPHYCEAE | | - | | - | - |
| 01. | Microcystis | 1 | 1 | 1 | - | - |
| 02. | Spirulina | 1 | 1 | 1 | 1 | 1 |
| 03. | Oscillatoria | 1 | 1 | 1 | 1 | - |
| 04. | | 1 1 | 4 | 4 | 4 | 4 |
| 05. | Lyngbya | 1 | 1 | 1 | 1 | 1 |
| | | 1 1 | 1 | | 1 1 | 1 |

REFERENCES

- Barun, P. P., Kakati, B. and I. Ahmed (2009). Some fresh water algae of oil refinery effluent drains of Assam, India. Our Nature. 7: 139-145.
- Divekar, M. V. and Deshmukh (2006). Hydrobiological studies on water bodies around Sangamner, Maharashtra. Indian Hydrobiology 9(2): 295-300.
- Dubey, S., Dubey, J., Viswas, A. J. and Tiwari, P. (2011). Studies on cyanobacterial biodiversity in paper mill and pharmaceutical industrial effluents. British Biotechnology Journal. 1(3): 61-67.

- Ganpati, S. V. and Chaco, P. J. (1950). Seasonal succession of algal flora; polluted region of Adyar river. Ind. J. Environ. Hlth. 21(2): 131-142.
- Ganpati, S. V. and Chaco, P. J. (1951). An investigation of the river Godavani Sanpati, S. V. and Chaco, E. J. (1997) and effluent of paper mill pollution at Rajmudri. Proc Indo-Pacific fish Conf
- Sec. 2: 1-5.

 Hosmani, S. P. and Bharathi, S. G. (1980). Algae as indicators of organic
- Hajdu, L. (1976). Algal species diversity in two eutropic fish ponds. Pand
- Jose, L. and Kumar, C. (2011). Evaluation of pollution by Palmer's algal pollution index and physico-chemical analysis of water in four temple ponds of Mattan Cherry, Ernakulam, Kerla, Nature Environment and Pollution
- Nandan, S. N. and Patel, R. J. (1983). Algal as indicators of water pollution.
- Palmer, C. M. (1969). A composite rating of algae tolerating organic pollution
- 11. Pandey, V.C. (1985). Euglenineae of Sewage waters—I. Phykos 24: 125-127. 12. Sawdekar, J. H. (2018) Ecological studies on algae of Khelna reservoir. Ph. D.
- thesis Dr. Babasaheb Ambedkar Marathwada Univeristy, Aurangabad.
- 13. Somashekar, R. K. and Ramaswamy, S. N. (1983). Algal indicators of paper
- 14. Subramaniyan, V., Savarimutha, J. and Chocckaya, M. (2012). Studies on cyanobacterial population in industrial effluents. J. Algal Biomass Utlh. 3(1):
- Vanlandingnam, S. (1976). Comparative evaluation of water quality on the St Joseph River (Michigan and Indiana, U.S.A.) By three methods of algal analysis Hydrobiologia 48 (2): 145-173.



Mohammad S Sultan

ABSTRACT

deal, there were secre joint statement, that th each other. However, The deal will not help the deal is the Isolatio

BACKGROUND

The U.S called the ag the Bahrain Abrahan country which normal (1979) and Jordan (28 with Israel. Moreover, deteriorated while Mo Mabhouh and Israel and kidnapping and in Nov 2015, Israel (International Renev (Simon Hendersen, 20 official visit of Israeli the chairman of the U the public (Daniel Ro of Israeli Olympic p wants to participate However, the Expo wo but it was reschedule Rokjes Dambe, 2019). vist to UAE, namely Regev visit to Sheikh and surprise while Is Saga Muki won the (Toi Staff, 2018); A Telecommunication po Conference (AFP,201 minister Netanyahu a Cohen secretly visit Al Bin Zayed).

U.S, Israel and UAE T On 17th Dec 2019, meeting between Isra Shabbat and UAE am collaboration agains meeting was norma aforementioned cou processes to diplom minister stated in the as a joint UAE-Israel Netanyahu shared th and Israel contacts wi

The Abraham Accord Jared Kushner (White (Secretary of State), Israel), Avi Berkowitz O'Brien (President Tr 20202140 Tof the A

08/02/2023