# APPLIED RESEARCH

OF ROOM WOOD ON THE STATE OF TH

An International Journal

ISSN NO - 2249-555X IMPACT FACTOR: 5.397

A Peer Reviewed, Referred, Refereed & Indexed International Journal

Journal DOI: 10.15373/2249555X INDEX COPERNICUS IC VALUE: 86.18

UGC Sr. No.49333

Journal for All Subjects

www.ijar.in

Volume-8 | Issue-8 | AUGUST-2018

₹ 500

08/02/2023 22:11

### INDEX

BESS	Title :	Page
-	Ex. Situ Conservation of Cacti and Succulents of Arts, Science and Commerce College, Rahuri, Botanic Garden, Rahuri Tehshil District - Ahmednagar (M.S.) PRASHANT ROHOKALE, SAURABH BATWAL, GANGADHAR ROHOKALE	1-6
2	THE IMPACT OF SERVICE QUALITY ON CUSTOMER SATISFACTION: THE CASE OF FIVE STAR HOTELS IN ADDIS ABABA, ETHIOPIA Simachew Alemneh	7-10
3	PROMOTIONAL MEASURES FOR THE DEVELOPMENT OF MICRO AND SMALL MEDIUM ENTERPRISES IN TRICHIRAPPALLI DISTRICT - TAMILNADU Mrs. V.Kanimozhi, Dr.N.Kannan	11-12
4	Class of Ratio and product- type estimator under stratified random sampling Ran Vijay Kumar Singh, Sarki Hamza Habibu, Ahmed Audu	13-16
5	ROLE OF PARENTS FOR THE LIFE SKILL DEVELOPMENT OF CHILDREN WITH LEARNING DISABILITY  Ms. Nancy Paul, Dr. Jobi Babu	17-20
6	CYANOPHYCEAN ALGAL FLORA OF LONAR LAKE - A PRELIMINARY STUDY RAFIULLAH M. KHAN, MILIND J. JADHAV	21-21
7	Response to Applied NPK, Farmyard Manure and Zn on Growth and Yield Components of Baby Corn Maize (Zea mays L. sacharata)  A. Ibrahim, M. L. Bubarai	22-24
8	A Study on protein target validation and functional annotation of Hypothetical protein for Shigella dysenteriae  K. Shrivastava, A. Shrivastava	25-28
9	WORK LIFE BALANCE OF WOMEN DOCTOR IN PRIVATE HOSPITALS OF KANYAKUMARI DISTRICT Malar.S, Radhika.R, Meena Zenith. N	29-30
0	Rural - Urban Health Disparities in India Nagaraja K., Dr. B. P. Veerabhadrappa	31-33
1	A STUDY ON INVESTORS AWARENESS IN EQUITY SHARE Dr.Mrs.S.Nirmala, Mrs.R.Geetha	34-36
2	A STUDY ON OPTIMIZATION & STRATEGY OF GAME  Dr.S.Bharthi, K. Vimala	37-38
3	DIATOMS OF DOMESTIC SEWAGE WATER SATISH D. MAGAR, MILIND J. JADHAV	39-39
	EFFECT OF TRADITIONAL STRENGTH TRAINING AND FUNCTIONAL STRENGTH TRAINING EXERCISES ON ARM STRENGTH OF COLLEGE MALE POLEVAULTERS D.Baskar, Dr.K. Murali Rajan	40-41
	EFFECT OF STRENGTH TRAINING WITH AND WITHOUT MENTAL TRAINING ON SPEED AMONG SCHOOL BOYS KHO KHO PLAYERS  D.Baskar, Dr.K. Murali Rajan	42-43
5	Nitrogen and Phosphorous chemistry in the foliar tissue of Schima wallichii in the subtropical ecosystem of northeast India. CHONGTHAM SANJITA, TH. BINOY SINGH	44-45
	PRINCIPLE OF STRICT LIABILITY IN CRIMINAL LAW: AN INDIAN PERSPECTIVE PRAGYAN PRASANJITA SAHOO	46-47
	A Comparative Study on Parameters on Effectiveness of Learning Environment in Private and Government Schools Vandana Sharma, Dr. Hitendra Bargal, Dr. Manasranjan Dasmishra	48-49
	Impact of Financial Benefits on the Efficacy of Life Insurance Advisors Girish Kumar Shukla, Dr. Manasranjan Dasmishra, Dr. Hitendra Bargal	50-5
	A STUDY ON INVESTOR ATTITUDE OF THE CAPITAL MARKET IN VIRUDHUNAGAR DISTRICT Dr. K.CHITRADEVI	52-54
(	RELATIONSHIP BETWEEN PERSONALITY AND BEHAVIOUR ADJUSTMENT AMONG THE ARTS AND SCIENCE COLLEGE STUDENTS CHITHRA .N, Dr. S.SUBRAMANIAN	55-5
1	A STUDY ON ORGANIZATIONAL ORIENTATION OF HIGHER SECONDARY TEACHERS WORKING IN TIRUNELVELI DISTRICT Nagarani . T, Dr. A.Antony Sagaya Ruban	57-5
I	DECISION MAKING ABILITY OF HIGHER SECONDARY SCHOOL TEACHERS IN TIRUNELVELI DISTRICT	
	SUMATHI.I.M, Mrs. M. PADMAVATHY	22:1

Barch L

nals.com

from scholars, ation will be de for diverse urnal releases

ntal Science, sic Science, ary Surgery, e, Medicine, Oncology, Pediatrics, Psychiatry,

The aim of all subject tive fields. ment and


iducation, ty Rights, I Science, ice, Social

s.com

scholars, will be th of the

learning

ne Arts, nomics, naviour, Rights, Original Research Paper



Botany

#### OF DOMESTIC SEWAGE WATER

Satish D. Magar Milind J. Jadhav\*

Department of Botany, L.B.S. College, Partur, Dist. Jalna -431501 (M.S.) India.

Department of Botany, Sir Sayyed College, Roshan Gate Aurangabad- 431001(M.S.) India. \*Corresponding Author

ABSTRACT) Domestic sewage water contains organic and inorganic nutrients. Present study deals with the diatoms of domestic sewage water. Diatoms are Basillaria deals with the diatoms of domestic sewage water. Diatoms are Bacillariophycean algae. While studying algal flora of domestic sewage water authors came ross some interesting taxa of diatoms. Algal samples were collected for the period of one year i.e. from July 2015 to June 2016. Collected diatom an were identified on the basis of important taxonomic characters. A total of 13 taxa under 6 genera were identified and recorded. All taxa corded are pennate diatoms. Fragillaria brevistrata, Fragillaria construens and Nitzschia palea were found dominant. Seasonal variation study of diatom flora reveals that abundance of diatoms were found in summer and winter seasons.

KEYWORDS: Diatom, Domestic sewage water and seasonal variation.

INTRODUCTION

the dual of the above givenby

he various types of games

n with numerical example

nming problem method to

of the conclusion that can be day.

a LPP of maximization or me

of a LPP facilitates the les en

e objective function and solver

can also be found from an algorithm

is more feasible compared by

nature and works step by step.

game theory:-Oxford university Newschill

repeated game of incomplete information

proc. of 7th intone on Autonomous mention

e-"Zermelo and Early history of pur ton

nd problems of operation research - have

introduction macmillson publishing ministers

game theory winning besiness I have

- "solving simple stochastic game with a

nuter science-vol.5(29)-2009-PP1-17

Diatoms are well defined group of algae belongs to class Bacillariophyceae. They are characterized by the presence of silicified walls. Diatoms are ubiquitous and form an important group in aquatic ecosystems (Sarode and Kamat 1979, Barhate and Tarar 1983, Kumawat and Jawale 2002, Talekar and Jadhav 2010, Mahadik and Jadhav 2014, Sawdekar and Jadhav 2017). Polluted water habitat harbours particular type of diatoms (Mahajaan and Nandan 2006, Talekar and Jadhav 2009). Domestic sewage water is rich in organic and inorganic nutrients, under certain condition can support a luxurient growth of aquatic plants especially algae. There are only a few detailed studies on the diatom flora of domestic sewage water (Singh and Saxena 1969, Singh et.al. 1969 and 1970, Nandakar et.al. 1983, Sahai et al. 1985, Talekar and Jadhav 2009). While studying algal flora of domestic sewage water, the authors came across a number of interesting taxa of diatoms.

#### MATERIALS AND METHODS

In order to study diatoms of domestic sewage water, Kham river of Aurangabad city which flows through the North-South part of city has been selected. The domestic waste water is discharged through an open and closed drain into Kham river. Collection of algal samples were made at monthly intervals from selected sites of Kham river for the period of one year i.e. from July 2015 to June 2016. Collections were made in acid washed collection bottles. For identification, the diatoms were cleaned according to Brun's method (Sarode and Kamat 1984). Diatom taxa were identified according to Hustedt (1930), Venkataraman (1939) and Sarode and Kamat (1984).

#### RESULTS AND DISCUSSION

A total of 13 taxa of diatoms under 6 genera were identified and recorded throughout the period of study (Table 1). All diatom taxa recorded are pennate diatoms. Singh et.al. 1970, Nandkar et.al. 1983, Sahai et.al. (1985), Talekar and Jadhav (2009) also reported pennate diatoms from domestic sewage water. On the basis of occurrence of diatom taxa Fragillaria brevistrata, Fragillaria construens and Nitzschia palea were found dominant. Genus Nitzschia was represented by 6 species which shows quantative dominance. Similar kind of observations were made by Talekar and Jadhav (2009). Singh et.al. (1970) reported dominance of taxa of Navicula, Pinnularia, Cymbella and Nitzschia. Sahai et.al. (1985) recorded dominance of Navicula, Pinnularia and Nitzschia. Seasonal variation study reveals that abundance of diatoms were found in summer and winter seasons. Sahai et.al.(1970) reported maximum number of diatoms in monsoon season

Hence, it is concluded that organic and inorganic nutrients present in domestic sewage supports growth and development of diatoms which ultimately leads to richeness in distribution and diversity of diatoms in domestic sewage water. Nitzschia palea was the most frequently encountered species.

#### Table 1: Diatoms recorded from domestic sewage water.

Sr. No.	Name of the Diatom
1	Fragillaria brevistrata
2	Fragillaria construenns
3	Fragillaria pinnata
4	Navicula cupsidata
5	Pinnularia doldosa
6	Cymbella aspera
7	Nitzschia apiculata
8	Nitzschia closterium
9	Nitzschia irremissa
10	Nitzschia obtusa
11	Nitzschia palea
12	Nitzschia philippinarum
13	Gomphonema sp.

#### REFERENCES

- Barhate, V.P and Tarar J. L. (1983). Additions to algal flora of Maharashtra: Diatoms from Khandesh-I. Phykos 22:13-17.
- Hustedt, F.(1930). Bacillariophyta (Diatomceae) In A paschers Die Susswasse Flora Mittleuropas 10.
- Kumawat, D. A and Jawale, A. K. (2002). Periodicity and abundance of diatoms from fish pond in relation to some physicochemical factors. Geobios. 29(4): 283-285. Mahadik Bibhishan B. and Jadhav Milind J.(2014). A preliminary study on Algal
- Biodiversity of Ujani Reservoir(M.S.) India Biosci. Disc. 5(1):123-125.
- Mahajan S. R. and Nandan S. N. (2006) A study of Bacillariophycean diversity in polluted lakes of Jalgaon district of North Maharashtra (India) Biodiversity: Assesment and Conservation Agrobios (India) Jodhpur 153-176.
- Nandkar, P. B., Marathe, K. V. and Motikhaye, B. G. (1993). Algae in sewage containing pools and oxidation ponds. Phykos 22: 37-45. Sahai, R., Saxena, P. K. and Jabeen, S. (1985). Ecological survey of the algal flora of
- polluted habitats of Gorakpur Phykos 24: 4-11. Singh, V. P. and Saxena, P. N. (1969). Preliminary studies on algal succession in raw and
- stabilized sewage. Hyderobiologia 34: 503-512. Singh, V. P. and Saxena, A.T. and Khan, M. A. (1970). Studies on the seasonal variation
- of algal flora of sewage. Phykos 9(2): 57-62. 10. Sarode, P. T. and Kamat, N. D. (1984). Fresh water diatoms of Maharshtra, Saikrupa
- Prakashan, Aurangabad, 338 pp. 11. Sawdekar, J. H. and Jadhav Milind J. (2017). Diatoms of khelna reservoir in Aurangabad district of Maharashtra. Proc. Nat. Conf. Advances in life sciences and Human welfare Ed. Dr. Sumia Fatima 126-127.
- Talekar Santosh and Jadhav Milind J. (2009). Algal diversity of polluted water reservoir. Proc. Nat. Conf. on Biodiversity, Sustainable development and Human welfare. Editor S. N. Nandan. 156-159 pp.
- Talekar Santosh and Jadhav Milind J. (2010). Studies on the diatoms from Manjara river of Beed district in Maharashtra. BioSci. Disc. 1(1) 13-14.
- Venkataraman G. (1939). A systematic account of some South Indian diatoms. Proc.Ind.Acad.Sci.10: 293-368.

## INDIAN JOURNAL OF APPLIED RESEARCH 39 4